



BEAM AND COLUMN SCHEDULE	
B3	W 16 X 77
B4	W 24 X 62
B5	W 24 X 62 + 2 1/2" X 6" X 10'-0" (SEE SEC. 8 / SHT. S-8)
B6	C 10 X 15.3
B7	W 24 X 146
B8	W 16 X 100
B9	W 16 X 57
C2	TS 6 X 6 X 1/4
C3	TS 7 X 5 X 5/16
C4	4" Ø STD. STEEL PIPE COLUMN
C5	TS 7 X 5 X 3/8
L1	2-8" METAL STUDS 800S200-68 W/ BRICK ∠ 3 1/2 X 3 1/2 X 1/4 W/ WEB STIFFENERS AT EACH SUPPORT
L2	2-∠ 6 X 3 1/2 X 1/4 W/ BRICK ∠ 3 1/2 X 3 1/2 X 1/4
L3	W 8 X 21 + 2 3/8" X 7" W/ BRICK ∠ 3 1/2 X 3 1/2 X 1/4

- NOTES:**
- "BX" INDICATES BEAM MARK (SEE BEAM AND COL. SCHEDULE)
 - "CX" INDICATES COLUMN MARK (SEE BEAM AND COL. SCHEDULE)
 - "LX" INDICATES LINTEL MARK (SEE BEAM AND COL. SCHEDULE)
 - ALL EXTERIOR 6" STUD WALLS ARE 600S162-43 @ 16" O.C. AND SHALL HAVE 1/2" OSB SHEATHING FULL HEIGHT WITH FASTENERS @ 3" O.C. @ PANEL EDGES AND 6" O.C. ON INT.
 - PROVIDE COLUMN TO CARRY 2800 LBS. MIN. VERTICAL LOAD TO SUPPORT ROOF BEAM AND TO BEAR ON STEEL BEAM SUPPORTING SECOND FLOOR MEMBERS.

SECOND FLOOR FRAMING
SCALE: 1/16" = 1'-0" NORTH

MAURER & STUTZ, INC.
ENGINEERS SURVEYORS
7615 NORTH HARKER DRIVE
PEORIA, ILLINOIS 61615
PH. (309) 693-7615
FAX (309) 693-7616

HERITAGE SQUARE SECOND FLOOR FRAMING		
FOR: PEORIA CONSTRUCTION CO.		
REVISIONS	DATE	PROJECT NO.
	6/14/04	233-04032
	DESIGNED KEF	DRAWING NO.
	CHECKED LVT	S-3
	DRAWN SGM	SHEET
	CHECKED DLM	OF

S:\233\2004\23304032\MSI SECOND FLOOR FRAMING.DWG