

CITY STANDARD G-1 INLET



SECTION A-A



SECTION B-B

1 INLET TYPE G-1

Scale: -NTS-



2 FLEXIBLE SEWER BEDDING & EXCAVATION DETAIL

Scale: -NTS-



RIGID SEWER BEDDING & EXCAVATION DETAIL

3 RIGID SEWER BEDDING & EXCAVATION DETAIL

Scale: -NTS-





NOTES:

1. THE OUTSIDE OF THE STORM DRYWELL SHALL BE WRAPPED WITH A GEOTEXTILE FILTER FABRIC. THERE SHALL BE A TWO (2) FOOT OVERLAP AT ALL SEAMS. GEOTEXTILE FILTER FABRIC SHALL ALSO BE PLACED BENEATH THE STORM DRYWELL.
2. THE STORM DRYWELL SHALL BE A PRECAST MANHOLE TYPE A, 4' DIAMETER WITH A TYPE 1 FRAME AND OPEN LID.
3. CONTRACTOR SHALL ALLOW ENGINEER TO VERIFY SOIL CONDITIONS AROUND DRYWELL UPON EXCAVATION. DEPTH MAY BE MODIFIED BY ENGINEER. ALL TIME, LABOR AND MATERIALS REQUIRED AS A RESULT OF A DEPTH REVISION SHALL BE INCIDENTAL TO THE COST OF THE DRYWELL.

4 STORM DRYWELL DETAIL

Scale: -NTS-



4 POST INDICATOR & VALVE (PIV) DETAIL

Scale: -NTS-





MATERIALS PERMITTED FOR INLETS	T
PRECAST REINFORCED CONCRETE SECTIONS	3 (75)
CAST-IN-PLACE CONCRETE	6 (150)

BRICKS AND MORTAR SHALL BE USED ONLY FOR ADJUSTMENTS

5 STORM INLET - TYPE "A"

Scale: -NTS-



ENGINEERS
ARCHITECTS
SURVEYORS
SCIENTISTS
Farnsworth GROUP
7707 N. KNOXVILLE AVE. SUITE 100
PEORIA, ILLINOIS 61614
(309) 689-9888 / (309) 689-9820 Fax
www.f-w.com

ISSUE:

#	Date:	Description:

Date:
Design/Drawn: EMR
Reviewed: LMT
Book No.: -

SHEET TITLE:

SITE DETAILS

SHEET NUMBER:

C4.1

SHEET OF

XRef Files:
I:\erastmon | P:\peoria housing authority\2009\0090282.00-pha - harrison phase 2 office & seniors\dwg\sheets\PHA SITE DETAILS.DWG | DATE: 07/10/2009 | Time: 10:4